

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	8225	protect\$3 and load\$3 near5 (space\$1 or area\$1 or material\$1 or "protective device") and (safety or security or unsafe) and position\$1	US-PGPUB; USPAT; EPO; DERWENT	2005/03/21 17:49
2	BRS	L2	3549	1 and (vehicle\$1 or car\$1 or automotive\$1 or automobile\$1) and (control or microprocessor\$1 or microcomputer\$1 or processor\$1)	US-PGPUB; USPAT; EPO; DERWENT	2005/03/21 17:51
3	BRS	L3	8225	protect\$3 and load\$3 near5 (space\$1 or area\$1 or material\$1 or "protective device" or "luggage space") and (safety or security or unsafe) and position\$1	US-PGPUB; USPAT; EPO; DERWENT	2005/03/21 18:19
4	BRS	L4	1725	2 and (warning or alert or alarm or display\$3)	US-PGPUB; USPAT; EPO; DERWENT	2005/03/21 18:20
5	BRS	L5	667	4 and (monitor\$3 or sens\$3 or detect\$3 or determin\$3) near5 position	US-PGPUB; USPAT; EPO; DERWENT	2005/03/21 18:19
6	BRS	L6	84	5 and "340"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT	2005/03/21 18:12

	Type	L #	Hits	Search Text	DBs	Time Stamp
<b>7</b>	BRS	L7	11	5 and (340/426 or 340/431)	US-PGPUB; USPAT; EPO; DERWENT	2005/03/21 17:59
<b>8</b>	BRS	L8	4	5 and (340/568.1 or 340/571)	US-PGPUB; USPAT; EPO; DERWENT	2005/03/21 18:00
<b>9</b>	BRS	L9	0	5 and (340/426.29 or 340/426.1)	US-PGPUB; USPAT; EPO; DERWENT	2005/03/21 18:01
<b>10</b>	BRS	L10	12	5 and (340/540 or 340/541)	US-PGPUB; USPAT; EPO; DERWENT	2005/03/21 18:00
<b>11</b>	BRS	L11	0	5 and (340/426.15 or 340/426.16)	US-PGPUB; USPAT; EPO; DERWENT	2005/03/21 18:05
<b>12</b>	BRS	L12	1	5 and (340/665 or 340/666)	US-PGPUB; USPAT; EPO; DERWENT	2005/03/21 18:06

	Type	L #	Hits	Search Text	DBs	Time Stamp
<b>13</b>	BRS	L13	0	5 and (280/748 or 280/749)	US-PGPUB; USPAT; EPO; DERWENT	2005/03/21 18:06
<b>14</b>	BRS	L14	25	5 and "280"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT	2005/03/21 18:08
<b>15</b>	BRS	L15	0	5 and "160"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT	2005/03/21 18:08
<b>16</b>	BRS	L16	1	5 and (160/265 or 160/310)	US-PGPUB; USPAT; EPO; DERWENT	2005/03/21 18:09
<b>17</b>	BRS	L17	0	5 and (296/66 or 296/68.1)	US-PGPUB; USPAT; EPO; DERWENT	2005/03/21 18:10
<b>18</b>	BRS	L18	0	5 and (296/65.09 or 296/37.16)	US-PGPUB; USPAT; EPO; DERWENT	2005/03/21 18:11

	Type	L #	Hits	Search Text	DBs	Time Stamp
19	BRS	L19	2	"19645503"	US-PGPUB; USPAT; EPO; DERWENT	2005/03/21 18:11
20	BRS	L20	3	5 and "340"/426\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT	2005/03/21 18:20
21	BRS	L21	16784	protect\$3 and load\$3 near15 (space\$1 or area\$1 or material\$1 or "protective device" or "luggage space") and (safety or security or unsafe)	US-PGPUB; USPAT; EPO; DERWENT	2005/03/21 18:19
22	BRS	L22	2652	21 and (monitor\$3 or sens\$3 or detect\$3 or determin\$3) near5 position	US-PGPUB; USPAT; EPO; DERWENT	2005/03/21 18:19
23	BRS	L23	1505	22 and (warning or alert or alarm or display\$3)	US-PGPUB; USPAT; EPO; DERWENT	2005/03/21 18:20
24	BRS	L24	4	23 and "340"/426\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT	2005/03/21 18:28

	Type	L #	Hits	Search Text	DBs	Time Stamp
25	BRS	L25	141	23 and "340"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT	2005/03/21 18:23
26	BRS	L26	0	23 and "2800"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT	2005/03/21 18:23
27	BRS	L27	37	23 and "280"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT	2005/03/21 18:24
28	BRS	L28	0	23 and "160"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT	2005/03/21 18:24
29	BRS	L29	2	23 and "296"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT	2005/03/21 18:24
30	BRS	L30	56	23 and "180"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT	2005/03/21 18:27

	Type	L #	Hits	Search Text	DBs	Time Stamp
<b>31</b>	BRS	L31	6	23 and 180/271\$.ccls.	US- PGPUB; USPAT; EPO; DERWEN T	2005/03/21 18:27
<b>32</b>	BRS	L32	110	23 and "701"/\$.ccls.	US- PGPUB; USPAT; EPO; DERWEN T	2005/03/21 18:30
<b>33</b>	BRS	L33	37	23 and (701/45 or 701/29)	US- PGPUB; USPAT; EPO; DERWEN T	2005/03/21 18:31
<b>34</b>	BRS	L34	28	23 and (701/200 or 701/213)	US- PGPUB; USPAT; EPO; DERWEN T	2005/03/21 18:32